



Inspection Report

PHYLLIS FLEMING
WILLIAM FLEMING

Customer ID: **44882**
Certificate: **43-A-5430**
Site: 001
WILLIAM J. & PHYLLIS I. FLEMING

8828 FARM ROAD 1165

Type: ROUTINE INSPECTION

VERONA, MO 65769

Date: Nov-29-2010

3.6 (a) (1)

PRIMARY ENCLOSURES.

Sec. 3.6 Primary enclosures. (a) General requirements. (1) Primary enclosures must be designed and constructed of suitable materials so that they are structurally sound. The primary enclosures must be kept in good repair.

-The licensee has sheltered housing for the dogs. In seven of the pen interiors, the dogs have scratched or chewed the plastic wall around the door frames. The plastic has broken and the wood is exposed in areas around the door frames. The licensee must replace or repair these broken plastic panels to allow these surfaces to be easily cleaned and disinfected and kept in good repair.

This affected 7 adults

To be corrected by February 28, 2011

This inspection and exit briefing was conducted by Jan Feldman - ACI and the licensees.

Time of inspection: 12:40 pm

Prepared By:

JAN R FELDMAN, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4039

Date:
Nov-29-2010

Received By:

(b)(6), (b)(7)(c)

Date:
Nov-29-2010

Title:



Inspection Report

PHYLLIS FLEMING
WILLIAM FLEMING

Customer ID: **44882**
Certificate: **43-A-5430**
Site: 001
WILLIAM J. & PHYLLIS I. FLEMING

482 FARM RD. 1165

Type: ROUTINE INSPECTION

VERONA, MO 65769

Date: Dec-03-2009

No non-compliances identified this inspection

This inspection was conducted by Jan Feldman - ACI and the licensees

Time of inspection: 1:30 pm

Prepared By:

JAN R FELDMAN, A.C.I. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4039

Date:
Dec-03-2009

Received By:

(b)(6), (b)(7)(c)

Date:
Dec-03-2009

Title:



Inspection Report

PHYLLIS FLEMING

Customer ID: **44882**

482 FARM RD. 1165

Certificate: **43-A-5430**

Site: 001

WILLIAM J. & PHYLLIS I. FLEMING

VERONA, MO 65769

Type: ROUTINE INSPECTION

Date: Feb-24-2009

No non-compliances identified this inspection.

This inspection was conducted by Jan Feldman ACI and the licensee

Time of inspection: 10:00 am

This is a transcribed copy of the original inspection report

Prepared By:

JAN R FELDMAN, A.C.I.

USDA, APHIS, Animal Care

Title:

ANIMAL CARE INSPECTOR

Inspector 4039

Date:

Mar-25-2009

Received By:

(b)(6),(b)(7)(c)

Date:

Mar-25-2009

Title:



Inspection Report

PHYLLIS FLEMING

Customer ID: **44882**

Certificate:

482 FARM RD. 1165

Site: 001

WILLIAM J. & PHYLLIS I. FLEMING

Type: PRELICENSE INSPECTION #1

VERONA, MO 65769

Date: Nov-12-2008

No non-compliances identified this inspection.

This 1st prelicense inspection for an "A" dealer license was conducted by Jan Feldman - ACI and the applicants.

Check number 155 in the amount of \$120.00 was received for licensing fees.

No regulated activity can occur until you have been issued your USDA license.

Time of inspection: 10:00 am

Microchip approval done

Applicant may be using a computerized records system and has been informed that if this is to be the sole method of records keeping - a variance from the regional office must be obtained

This is a transcribed copy of the original inspection report

Prepared By:

JAN R FELDMAN, A.C.I.

USDA, APHIS, Animal Care

Date:

Title:

ANIMAL CARE INSPECTOR

Inspector 4039

Mar-23-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Mar-23-2009